

Saket

**PARKING
VITRIFIED
TILES**

500x

500MM

Saket


50x 50cm

PARKING
VITRIFIED
TILES


.....

All about an adventurous tile which has immense toughness with great look that complements every area.





Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications




Residence

Commercial


Malls & Restaurants

Public Area



5002

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





5004

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls & Restaurants

Public Area





5005

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls & Restaurants

Public Area





5006

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial




Malls &
Restaurants







Public
Area





5008

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





5009

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial




Malls &
Restaurants



Public
Area





5010

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





5011

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls &
Restaurants


Public
Area





5012

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>




Applications




Residence Commercial Malls & Restaurants Public Area





5014

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls &
Restaurants

Public
Area





5016

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls & Restaurants

Public Area





5018

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area



WHAT
WOULD
BLAIR
WALDOR
DO?

E



5019

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>




Applications



Residence Commercial Malls & Restaurants Public Area





5023


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5025

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>




Applications




Residence Commercial Malls & Restaurants Public Area





5026

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>




Applications




Residence Commercial Malls & Restaurants Public Area





5027

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications




Residence Commercial Malls & Restaurants Public Area





5028

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>




Applications




Residence Commercial Malls & Restaurants Public Area





5029

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence Commercial Malls & Restaurants Public Area





5032

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls &
Restaurants

Public
Area





5033

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5034

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





5035

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls &
Restaurants

Public
Area





5036

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications







5037


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications











5038

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial



Malls & Restaurants



Public Area





5039

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls & Restaurants

Public Area





5040

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls & Restaurants


Public Area





5046

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications




Residence Commercial Malls & Restaurants Public Area





5047


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence Commercial Malls & Restaurants Public Area





5048

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls & Restaurants


Public Area





5049

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications




Residence

Commercial

Malls & Restaurants


Public Area





5050

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





5051


Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications








5052

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





5053

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls &
Restaurants

Public
Area





5057

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence Commercial Malls & Restaurants Public Area





5058

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence

Commercial

Malls & Restaurants


Public Area





5059

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence

Commercial

Malls & Restaurants

Public Area





5060

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications




Residence

Commercial

Malls &
Restaurants


Public
Area





5061

Size	Finish	Thickness	Random
<u>500x500 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence

Commercial

Malls &
Restaurants


Public
Area





5101

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence

Commercial

Malls & Restaurants


Public Area





5102

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial




Malls &
Restaurants




Public
Area





5103

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





5104 DK

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





5104 LT

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence




Commercial



Malls &
Restaurants




Public
Area





5105

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence Commercial Malls & Restaurants Public Area





5106

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>




Applications




Residence Commercial Malls & Restaurants Public Area





5107

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications




Residence Commercial Malls & Restaurants Public Area





5108

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>




Applications



Residence Commercial Malls & Restaurants Public Area





5109

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls & Restaurants




Public Area





5110

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>2</u>




Applications




Residence Commercial Malls & Restaurants Public Area





5111

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>2</u>



Applications




Residence

Commercial

Malls & Restaurants


Public Area





5112

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications








5113

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial




Malls &
Restaurants




Public
Area





5114

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area




WHAT
WOULD
BLAIR
WALDOR
DO?





5115

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants




Public
Area





5116

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications




Residence Commercial Malls & Restaurants Public Area





5117

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications







5118

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence

Commercial

Malls &
Restaurants


Public
Area





5119

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants




Public
Area





5119 HL

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence

Commercial

Malls & Restaurants


Public Area





5120

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls & Restaurants




Public Area





5121

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants




Public
Area





5122

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>




Applications




Residence Commercial Malls & Restaurants Public Area





5123

Size	Finish	Thickness	Random
<u>500x500</u> mm	<u>Matt</u>	<u>9</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area



TECHNICAL SPECIFICATION

CHARACTERISTIC	International Std. ISO13006/EN 176 Group Bla	SAKETILES Value	Method of Testing
1. Deviation in Length	±0.6%	±0.1%	EN 98
2. Deviation in Thickness	±5%	±4%	EN 98
3. Straightness of Sides	±0.5%	±0.1%	EN 98
4. Rectangularity	±0.6%	±0.2%	EN 98
5. Surface Flatness	±0.5%	±0.3%	EN 98
6. Water Absorption *	<0.5%	<0.3%	EN 99
7. Mohs Hardness *	> 6	> 7	EN 101
8. Flexural Straightness *	> 27 N/mm ²	> 47 N/mm ²	EN 100
9. Abrasion Resistance	< 204 mm ³	< 98 mm ³	EN 102
10. Skid Resistance (Friction Coefficient)	> 0.4	> 0.6	ASTM C-1028
11. Breaking Strength *	> 1113 N	> 2830 N	ASTM C-648
12. Density (g/cc)	> 2	> 2.4	DIN 51082
13. Frost Resistance	Frost proof	Frost proof	EN 202
14. Chemical Resistance	No damage	No damage	EN 106
15. Thermal Shock Resistance	No damage	No damage	EN 104
16. Colour Resistance	No damage	No damage	DIN 51094
17. Thermal Expansion	< 9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	EN 103
18. Stain Resistance	Resistant	Resistant	ISO 10545-14
19. Moisture Expansion	Nil	Nil	ISO 10545-10
20. Glossiness	—	Min. 65% - 70% reflection	Glossmeter

Sr.no.	Size	Thickness (Approx)	Tiles Per Box (Approx)	Coverage Area (sq.mtr) (Approx)	Weight (Approx)
1.	DIGITAL 500X500 MM	12 MM	3 PCS	0.76	16.5 Kgs

Thank you

Saket

SAKET TILES INDIA LLP

info@sakrtiles.com

export@sakettiles.com

Survey No.454,
At-Shapar,Jashmatgadh,Jetpar Road
opp-pavadiyari bas stand, Morbi, Gujarat-363642