

**Saket**

---

**PARKING  
VITRIFIED  
TILES**

---

**500x**

**500MM**

# Saket

## 50x 50cm


| PARKING  
VITRIFIED  
TILES

.....





All about an adventurous tile which has immense toughness with great look that complements every area.







| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



## Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area





## 14102

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications











## 14103

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants




Public  
Area









## 14106

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |




### Applications














## 14107

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14115

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14116

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area










## 14117

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls & Restaurants




Public Area









## 14118

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |




### Applications














## 14119

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants




Public  
Area











## 14122

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |




### Applications














## 14123

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls & Restaurants




Public Area










## 14124

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area








## 14125

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls & Restaurants



Public Area









## 14137

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area










## 14138

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area








## 14141

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area








## 14142

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants




Public  
Area










## 14143

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants




Public  
Area










## 14144

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14145

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14146

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area












## 14149

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14150

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14155

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area








## 14156

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14157

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14158

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14161

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area









## 14162

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>3</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area







# TECHNICAL SPECIFICATION

| CHARACTERISTIC |                                        | International Std.<br>ISO13006/EN 176<br>Group Bla | SAKETILES<br>Value        | Method of<br>Testing |
|----------------|----------------------------------------|----------------------------------------------------|---------------------------|----------------------|
| 1.             | Deviation in Length                    | ±0.6%                                              | ±0.1%                     | EN 98                |
| 2.             | Deviation in Thickness                 | ±5%                                                | ±4%                       | EN 98                |
| 3.             | Straightness of Sides                  | ±0.5%                                              | ±0.1%                     | EN 98                |
| 4.             | Rectangularity                         | ±0.6%                                              | ±0.2%                     | EN 98                |
| 5.             | Surface Flatness                       | ±0.5%                                              | ±0.3%                     | EN 98                |
| 6.             | Water Absorption *                     | <0.5%                                              | <0.3%                     | EN 99                |
| 7.             | Mohs Hardness *                        | > 6                                                | > 7                       | EN 101               |
| 8.             | Flexural Straightness *                | > 27 N/mm <sup>2</sup>                             | > 47 N/mm <sup>2</sup>    | EN 100               |
| 9.             | Abrasion Resistance                    | < 204 mm <sup>3</sup>                              | < 98 mm <sup>3</sup>      | EN 102               |
| 10.            | Skid Resistance (Friction Coefficient) | > 0.4                                              | > 0.6                     | ASTM C-1028          |
| 11.            | Breaking Strength *                    | > 1113 N                                           | > 2830 N                  | ASTM C-648           |
| 12.            | Density (g/cc)                         | > 2                                                | > 2.4                     | DIN 51082            |
| 13.            | Frost Resistance                       | Frost proof                                        | Frost proof               | EN 202               |
| 14.            | Chemical Resistance                    | No damage                                          | No damage                 | EN 106               |
| 15.            | Thermal Shock Resistance               | No damage                                          | No damage                 | EN 104               |
| 16.            | Colour Resistance                      | No damage                                          | No damage                 | DIN 51094            |
| 17.            | Thermal Expansion                      | < 9 x 10 <sup>-6</sup>                             | < 6 x 10 <sup>-6</sup>    | EN 103               |
| 18.            | Stain Resistance                       | Resistant                                          | Resistant                 | ISO 10545-14         |
| 19.            | Moisture Expansion                     | Nil                                                | Nil                       | ISO 10545-10         |
| 20.            | Glossiness                             | —                                                  | Min. 65% - 70% reflection | Glossmeter           |

| Sr.no. | Size               | Thickness<br>(Approx) | Tiles Per Box<br>(Approx) | Coverage Area<br>(sq.mtr) (Approx) | Weight<br>(Approx) |
|--------|--------------------|-----------------------|---------------------------|------------------------------------|--------------------|
| 1.     | DIGITAL 500X500 MM | 12 MM                 | 3 PCS                     | 0.76                               | 16.5 Kgs           |



Thank you

**Saket**

**SAKET TILES INDIA LLP**

[info@sakrttiles.com](mailto:info@sakrttiles.com)

[export@sakettiles.com](mailto:export@sakettiles.com)

Survey No.454,  
At-Shapar,Jashmatgadh,Jetpar Road  
opp-pavadiyari bas stand, Morbi, Gujarat-363642