

**Saket**

---

**PARKING  
VITRIFIED  
TILES**

---

**400x**

**400MM**

## 40x 40cm


| PARKING  
VITRIFIED  
TILES

.....


All about an adventurous tile which has immense toughness with great look that complements every area.







| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |




## Applications





## 2601

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2602

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2603


| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2604

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications












## 2607

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |




### Applications











## 2608

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications











## 2609

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |




### Applications











## 2610

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications









## 2611

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2612

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications












## 2613

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2614

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications









**2616** NEW

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



## Applications









**2618** NEW

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



## Applications









# Saket



**2620** NEW

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



#### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area










**2621** NEW

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |




## Applications












| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



## Applications








## 2701

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2702

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2703

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2704

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2707

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications









## 2708

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2709

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2710

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |




### Applications















## 2712

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications



Residence



Commercial



Malls &  
Restaurants



Public  
Area







## 2713

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2714

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2715

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications



Residence Commercial Malls & Restaurants Public Area








## 2716

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2717

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2718

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2719

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications



Residence Commercial Malls & Restaurants Public Area







## 2723

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2724

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2728

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2729

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2731

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications









## 2732

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications









## 2733

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2734

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2735

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications









## 2736

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications










## 2737

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications







WHAT  
WOULD  
BLAIR  
WALDOR  
DO?



BRILLIANT





## 2738

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications











## 2739

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications









## 2740

| Size              | Finish      | Thickness    | Random   |
|-------------------|-------------|--------------|----------|
| <u>400x400 mm</u> | <u>Matt</u> | <u>12 mm</u> | <u>1</u> |



### Applications



Residence Commercial Malls & Restaurants Public Area







# TECHNICAL SPECIFICATION

| CHARACTERISTIC |                                        | International Std.<br>ISO13006/EN 176<br>Group Bla | SAKET TILES<br>Value      | Method of<br>Testing |
|----------------|----------------------------------------|----------------------------------------------------|---------------------------|----------------------|
| 1.             | Deviation in Length                    | ±0.6%                                              | ±0.1%                     | EN 98                |
| 2.             | Deviation in Thickness                 | ±5%                                                | ±4%                       | EN 98                |
| 3.             | Straightness of Sides                  | ±0.5%                                              | ±0.1%                     | EN 98                |
| 4.             | Rectangularity                         | ±0.6%                                              | ±0.2%                     | EN 98                |
| 5.             | Surface Flatness                       | ±0.5%                                              | ±0.3%                     | EN 98                |
| 6.             | Water Absorption *                     | <0.5%                                              | <0.3%                     | EN 99                |
| 7.             | Mohs Hardness *                        | > 6                                                | > 7                       | EN 101               |
| 8.             | Flexural Straightness *                | > 27 N/mm <sup>2</sup>                             | > 47 N/mm <sup>2</sup>    | EN 100               |
| 9.             | Abrasion Resistance                    | < 204 mm <sup>3</sup>                              | < 98 mm <sup>3</sup>      | EN 102               |
| 10.            | Skid Resistance (Friction Coefficient) | > 0.4                                              | > 0.6                     | ASTM C-1028          |
| 11.            | Breaking Strength *                    | > 1113 N                                           | > 2830 N                  | ASTM C-648           |
| 12.            | Density (g/cc)                         | > 2                                                | > 2.4                     | DIN 51082            |
| 13.            | Frost Resistance                       | Frost proof                                        | Frost proof               | EN 202               |
| 14.            | Chemical Resistance                    | No damage                                          | No damage                 | EN 106               |
| 15.            | Thermal Shock Resistance               | No damage                                          | No damage                 | EN 104               |
| 16.            | Colour Resistance                      | No damage                                          | No damage                 | DIN 51094            |
| 17.            | Thermal Expansion                      | < 9 x 10 <sup>-6</sup>                             | < 6 x 10 <sup>-6</sup>    | EN 103               |
| 18.            | Stain Resistance                       | Resistant                                          | Resistant                 | ISO 10545-14         |
| 19.            | Moisture Expansion                     | Nil                                                | Nil                       | ISO 10545-10         |
| 20.            | Glossiness                             | —                                                  | Min. 65% - 70% reflection | Glossmeter           |

| Sr.no. | Size              | Thickness<br>(Approx) | Tiles Per Box<br>(Approx) | Coverage Area<br>(sq.mtr) (Approx) | Weight<br>(Approx) |
|--------|-------------------|-----------------------|---------------------------|------------------------------------|--------------------|
| 1.     | DIGITAL 400X400MM | 12 MM                 | 5 PCS                     | 0.8                                | 18 Kgs             |
| 1.     | DIGITAL 400X400MM | 10 MM                 | 5 PCS                     | 0.8                                | 16 Kgs             |



Thank you

**Saket**

**SAKET TILES INDIA LLP**

[info@sakrttiles.com](mailto:info@sakrttiles.com)

[export@sakettiles.com](mailto:export@sakettiles.com)

Survey No.454,  
At-Shapar,Jashmatgadh,Jetpar Road  
opp-pavadiyari bas stand, Morbi, Gujarat-363642