

Saket

**PARKING
VITRIFIED
TILES**

400x

400MM


40x 40cm

| PARKING
VITRIFIED
TILES





.....

All about an adventurous tile which has immense toughness with great look that complements every area.





Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants




Public
Area



3001

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants




Public
Area





3002

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications







Residence Commercial Malls & Restaurants Public Area





3003

Size	Finish	Thickness	Random
<u>400x400</u> mm	<u>Matt</u>	<u>12</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants




Public
Area





3004

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence



Commercial




Malls &
Restaurants




Public
Area





3005

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence Commercial Malls & Restaurants Public Area





3006

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





3007

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area



3009

Size	Finish	Thickness	Random
<u>400x400</u> mm	<u>Matt</u>	<u>12</u> mm	<u>1</u>



Applications



Residence



Commercial



Malls &
Restaurants



Public
Area





3010

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications








3013

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence

Commercial

Malls &
Restaurants

Public
Area





3014

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence Commercial Malls & Restaurants Public Area





3015

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>3</u>



Applications



Residence



Commercial



Malls &
Restaurants




Public
Area





14157


Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>




Applications








Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications





3101

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications








3101-DK

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications




Residence

Commercial

Malls &
Restaurants


Public
Area





3101-LT

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications




Residence

Commercial

Malls &
Restaurants


Public
Area





3105


Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>




Applications




Residence Commercial Malls & Restaurants Public Area





3108 NEW

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications




Residence

Commercial

Malls &
Restaurants


Public
Area





3109 **NEW**

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications



Residence



Commercial




Malls &
Restaurants




Public
Area





3110 **NEW**

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications








3111 NEW

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications


-  Residence
-  Commercial
-  Malls & Restaurants
-  Public Area





3113 **NEW**

Size	Finish	Thickness	Random
<u>400x400 mm</u>	<u>Matt</u>	<u>12 mm</u>	<u>1</u>



Applications

-  Residence
-  Commercial
-  Malls & Restaurants
-  Public Area



TECHNICAL SPECIFICATION

CHARACTERISTIC	International Std. ISO13006/EN 176 Group Bla	SAKET TILES Value	Method of Testing
1. Deviation in Length	±0.6%	±0.1%	EN 98
2. Deviation in Thickness	±5%	±4%	EN 98
3. Straightness of Sides	±0.5%	±0.1%	EN 98
4. Rectangularity	±0.6%	±0.2%	EN 98
5. Surface Flatness	±0.5%	±0.3%	EN 98
6. Water Absorption *	<0.5%	<0.3%	EN 99
7. Mohs Hardness *	> 6	> 7	EN 101
8. Flexural Straightness *	> 27 N/mm ²	> 47 N/mm ²	EN 100
9. Abrasion Resistance	< 204 mm ³	< 98 mm ³	EN 102
10. Skid Resistance (Friction Coefficient)	> 0.4	> 0.6	ASTM C-1028
11. Breaking Strength *	> 1113 N	> 2830 N	ASTM C-648
12. Density (g/cc)	> 2	> 2.4	DIN 51082
13. Frost Resistance	Frost proof	Frost proof	EN 202
14. Chemical Resistance	No damage	No damage	EN 106
15. Thermal Shock Resistance	No damage	No damage	EN 104
16. Colour Resistance	No damage	No damage	DIN 51094
17. Thermal Expansion	< 9 x 10-6	< 6 x 10-6	EN 103
18. Stain Resistance	Resistant	Resistant	ISO 10545-14
19. Moisture Expansion	Nil	Nil	ISO 10545-10
20. Glossiness	—	Min. 65% - 70% reflection	Glossmeter

Sr.no.	Size	Thickness (Approx)	Tiles Per Box (Approx)	Coverage Area (sq.mtr) (Approx)	Weight (Approx)
1.	DIGITAL 400X400MM	12 MM	5 PCS	0.8	18 Kgs
1.	DIGITAL 400X400MM	10 MM	5 PCS	0.8	16 Kgs

Thank you

Saket

SAKET TILES INDIA LLP

info@sakrtiles.com

export@sakettiles.com

Survey No.454,
At-Shapar,Jashmatgadh,Jetpar Road
opp-pavadiyari bas stand, Morbi, Gujarat-363642