


Saket

SCULPTING STORIES IN EVERY CLAY...

Selfie Ceramic company started as an Exporter and manufacturer of different Porcelain Tiles. Since its existence in the industry, it has gained a high reputation for world-class quality and excellent customer service.

The manufacturing unit in the company is equipped with all the modern technology that leads to zero human error and intense automation. With this, Selfie Ceramic has emerged at the most trusted brand in the tile industry.



SUGAR


Collection

BRINGING A TOUCH OF ENCHANTMENT TO EVERY TILES.

Sugar tiles are typically translucent, allowing light to pass through them. This translucency creates a stunning effect, as the tiles can appear to glow and change hues depending on the lighting. The interplay of light can create a magical, almost ethereal appearance.

These tiles can be crafted in a wide array of colors, ranging from vibrant, bold shades to soft, pastel tones. The choice of color can evoke different emotions and settings, from a whimsical fairy-tale to a sophisticated modern aesthetic.

Sugar tiles can be molded or cut into intricate patterns and shapes. These designs can be as simple or as complex as desired, including geometric shapes, floral motifs, or custom artistic patterns. The detailing in these patterns adds a layer of elegance and craftsmanship.



CRAFTING ARTFUL SPACES WITH PRECISION AND STYLE.


The range of colors available for tiles is vast, from earthy tones and pastels to vibrant, bold hues. Patterns can be intricate or simple, traditional or modern, allowing for endless design possibilities. Tiles can be arranged in geometric patterns, mosaics, or custom designs, creating visually captivating surfaces.

Beyond their beauty, tiles are known for their durability and longevity. This makes them an excellent choice for both functional and decorative purposes, adding long-lasting beauty to any space.

Tiles often carry historical and cultural significance. From the intricate mosaics of ancient civilizations to the ornate patterns of Moroccan tiles, they can tell stories and add cultural depth to a space.



A LASTING LEGACY



600x600MM
2'x2' | 24"x24"

ARTISTIC & TECHNICAL PERFECTION WITH ELEGANCE DESIGNS.

AESTHETIC SIZE

A complete and versatile project from the size available in the ceramics market, 600x600MM and 9mm thick to the most common size, 600x600MM, 9mm thick, passing through a full range of intermediate sizes.

AWESOME STYLE

The ceramic design interprets different inspirations, ensuring maximum aesthetic appeal in any type of environment and giving each its own style.

EXTRAORDINARY WEIGHT

The Tiles are easy to move and handle as they are only 9 mm thick, ensuring lightness despite their large size.

ADVANTAGES






12001



12002



12003



12004



12005



12006

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE

DESIGN :
RANDOM DESIGN



ADVANTAGES








12007



12008




12009



12010



12011



12012

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE


DESIGN :
RANDOM DESIGN



ADVANTAGES







12013



12014



12015



12016



12017



12018

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE

DESIGN :
RANDOM DESIGN



ADVANTAGES







12019



12020



12021



12022



12023



12024

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE

DESIGN :
RANDOM DESIGN



ADVANTAGES







12025



12026



12027



12028



12029



12030

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE



DESIGN :
RANDOM DESIGN



ADVANTAGES







12031



12032



12033



12034



12035



12036

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE

DESIGN :
RANDOM DESIGN



ADVANTAGES







12037



12038



12039



12040



12041



12042

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE


DESIGN :
RANDOM DESIGN



ADVANTAGES







12043



12044



12045



12046



12047



12048

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE

DESIGN :
RANDOM DESIGN



ADVANTAGES







12049



12050



12051



12052



12053



12054

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE


DESIGN :
RANDOM DESIGN



ADVANTAGES








12055




12056



R-4


12057



12058



12059



12060

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE


DESIGN :
RANDOM DESIGN



ADVANTAGES







12061



12062



12063




12064



12065



12066



12067




12068

INFORMATION

DIMENSION :
600X600MM | 60X60CM

SURFACE :
SUGAR SURFACE

DESIGN :
RANDOM DESIGN



ADVANTAGES





TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.B1a	MEAN VALUE OF SELFIE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE <1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 600mm	8.5mm	4 pcs.	1.44 sq. mtr.	25 KG (APPROX)

Saket